ANNOUNCEMENTS

Andrzej Pelisiak

MENILITE HORNSTONE SOURCES AND PROCESSING SITE AT CISNA IN HIGH BIESZCZADY MOUNTAINS

ABSTRACT

A. Pelisiak 2016. Menilite hornstone sources and processing site at Cisna in High Bieszczady Mountains, AAC 51: 285–292.

The menilite hornstone processing site Cisna 6 was discovered in 2015 during the surface surveys carried out by Andrzej Pelisiak in the western part of High Bieszczady Mts. It is located within Solinka river Valley, near the edge of the river terrace about 4 m above the flood zone of the valley close to natural deposits of menilite hornstone in the riverbed of the Solinka river. The archaeological material was discovered on an area of about 150 m². There were collected 53 natural pieces of raw material, 25 artefacts made of menilite hornstone and one artefact made of siliceous sandstone. This assemblage probably is not homogenous. There were recognized artefacts which can be dated to the Late Neolithic as well as to the Bronze Age.

 ${\tt Key}\ {\tt words}$ Polish High Bieszczady Mts.; menilite hornstone; processing site; Late Neolithic; Bronze Age

Received: 25.02.2016; Revised: 09.11.2016; Revised: 14.11.2016; Accepted: 18.11.2016

INTRODUCTION

Archaeological surface surveys carried out from 2012 onwards in the Polish High Bieszczady Mountains resulted in discovery of most the 30 sites dated to the Late Neolithic and Bronze Age. Almost all of them are represented by single artefacts made of various local and nonlocal raw material (Pelisiak, Maj 2013; Pelisiak 2014a; 2016a; 2016b; Pelisiak, Maj, Bajda 2015)¹. The sites are located in different landscapes, some of them within the subalpine zone (1000–1250 m a.s.l.).

 $^{^1}$ Up to 2012 except artefact made of menilite hornstone discovered at Polonina Wetlińska (Valde-Nowak 1991) no sites dated to the Neolilithic and Early Bronze Age were known from the High Bieszczady Mts. (Valde-Nowak 1988).

ANDRZEJ PELISIAK

Sites from the high mountain zone are located in a clear spatial context of salt water springs (Pelisiak 2014/2015). The chronology of these sites and their landscape position corresponds with the palynological records of human activity in the Bieszczady Mts. which came from Tarnawa, Smerek and Wołosate peatbogs. The pollen diagrams from these palynological locations suggests that the animal herding on this area begun at ca. 3200 BC (Ralska-Jasiewiczowa 1972; 1980). As it was already suggested archaeological finds from the High Bieszczady Mts. dated to the Late Neolithic and Early Bronze Age can be considered as the strong argument for seasonal herding of animals conducted within the transhumance system (Pelisiak 2013a; 2013b; 2014b). During the 2015 surface surveys first menilite processing site was discovered in the High Bieszczady Mts. at Cisna, powiat Lesko. It is located within Solinka river Valley, near the edge of the terrace about 4 m above the flood zone of the valley (Fig. 1). The archaeological material was found on the area of about 150 m² in the vicinity of the menilite hornstone natural deposits located in the bottom a Solinka river valley and in a Solinka riverbed about 20-30 m from the site. The area of the site is covered by natural vegetation: bushes, grass and young beech trees. This resulted in difficulties in identification of artefacts on the surface of the ground. Fortunately extremely dry conditions during July and August 2015 limited the growth of low plants. That year condition of surface surveys were much better like during the last years what made it possible to discovery this site.

ARCHAEOLOGICAL MATERIAL COLLECTED FROM THE SURFACE OF THE SITE

Archaeological material collected within an area of processing site Cisna, site 6 during the surface surveys carried out in 2015 contains consists of 53 pieces of raw material and 25 artefacts made of menilite hornstone and one artefact made of siliceous sandstone.

Menilite hornstone: 45 irregular natural pebbles of menilite raw material (dimensions from 30 to 148 mm); 8 natural tablet-like blocks of raw material, dimensions $64 \times 68 \times 33$ mm; $41 \times 32 \times 22$ mm; $42 \times 38 \times 18$ mm; $54 \times 30 \times 19$ mm; $72 \times 28 \times 32$ mm; $45 \times 33 \times 38$ mm; $65 \times 40 \times 26$ mm; $65 \times 45 \times 33$ mm; 8 pieces of raw material with single negatives of detached flakes, dimensions: $112 \times 87 \times 50$ mm; $47 \times 33 \times 18$ mm; $64 \times 35 \times 40$ mm; $77 \times 47 \times 27$ mm; $98 \times 69 \times 44$ mm; $39 \times 29 \times 18$ mm; $50 \times 32 \times 37$ mm; $76 \times 32 \times 20$ mm; 1 tablet-like piece of raw material with initial traces of shaping one narrow side, dimensions $82 \times 63 \times 29$ mm; 1 piece of technical debris with negatives of detached flakes, dimensions $39 \times 19 \times 8$ mm; 1 piece of raw material with one edge retouched on one face, dimensions $29 \times 23 \times 13$ mm (Fig. 2:6); 1 fragment of crushed single platform blade core, striking platform formed by detachment of flakes from the edge of the striking platform and flaking surface, dimensions $23 \times 22 \times 18$ mm; 1 single base splintered piece, dimensions




Fig. 1. Cisna, powiat Lesko, site 6. Location of the menilite hornstone processing site; drawn by I. Jordan, A. Pelisiak.

 $58 \times 28 \times 20$ mm (Fig. 2:2); 1 double bases splintered piece, both bases are blunt, dimensions $82 \times 40 \times 18$ mm (Fig. 2:3); 1 double bases splintered piece, one base sharp, opposite one blunt, dimensions $62 \times 23 \times 17$ mm (Fig. 2:1); 1 partly crushed irregular splintered piece, dimensions $57 \times 38 \times 26$ mm (Fig. 2:4); 1 half-product of rectangular axe or pick, traces of preparation of narrow sides and the cutting edge, one of narrow side is partly crushed, maximum length 117 mm, maximum width in a part of cutting edge 51 mm, maximum thickness 42 mm (the artefact was abandoned probably in result of oblique fracture; Fig. 2:5); 1 natural piece of raw material with one edge partly retouched on one side, dimensions $41 \times 26 \times 13$ mm (Fig. 3:1); 1 piece of debris with crushed edges, one of them with irregular retouch, dimensions $57 \times 38 \times 31$ mm




Fig. 2. Cisna, powiat Lesko, site 6. Selected artifacts made of menilite hornstone; photo and computer design Z. Maj, A. Pelisiak.

(Fig. 2:7); 1 plate-like piece of debris with one edge crushed and retouched on the one side, dimensions $42 \times 20 \times 21$ mm (Fig. 2:8); 1 plate-like piece of debris with three edges retouched on one face, dimensions $55 \times 53 \times 18$ mm (Fig. 3:6); 1 plate-like piece of debris with irregular retouch on both narrower



Fig. 3. Cisna, powiat Lesko, site 6. Selected artifacts; photo and computer design Z. Maj and A. Pelisiak.

1-4, 6 — menilite hornstone, 5 — siliceous sandstone.

sides, dimensions $83 \times 62 \times 29$ mm (Fig. 3:2); 1 massive flake with converging retouch on one side which forms rounded tip $62 \times 43 \times 17$ mm (Fig. 2:9); 1 fragment of knife-like tool with natural back and part of one edge with bifacial retouch, second part of this edge with negative of detached flake which forms the burin on truncation, dimensions $49 \times 26 \times 16$ mm (Fig. 3:3); 1 small blade from single platform blade core, one edge with utilization retouch, dimensions $34 \times 14 \times 5$ mm (Fig. 3:4). Siliceous sandstone: 1 fragment of single platform flake core, dimensions $62 \times 34 \times 21$ mm (Fig. 3:5).

CHRONOLOGY

The material from Cisna, site 6 was collected from the surface of the ground. This made it difficult to decide whether it is homogeneous or not. The blade with irregular utilization retouch (Fig. 3:4) as well as fragment of blade core can be dated to the Neolithic. Splintered pieces are frequent in both Neolithic and Early Bronze Age contexts. Half-product of rectangular axe (Fig. 2:5) is also of the most typical artefact of this period. On the other hand this tool can be also interpreted as a pick. Such function of this tool is possible because of close vicinity of natural deposits of menilite hornstone and potential place of extraction of the raw material used for processing at the workshop. Moreover similar artefact was found on the exploitation and processing site at Ropa, powiat Gorlice, dated to the Early Bronze Age and also based on menilite hornstone (Valde-Nowak 1995a; 1995b, Fig. 3). Because of pick is the universal mining tool, artefacts of this kind are frequent on the both Neolithic and Early Bronze Age exploitation sites and they are not diagnostic in respect of the chronology (Borkowski et al. 1986; Weiner 1986). This fact allows to the assumption that artifact from Cisna, site 6 can be dated to the Late Neolithic as

ANDRZEJ PELISIAK

well as to the Early Bronze Age. Knife-like flake tool (Fig. 3:3) can be assumed as one of the typical Early Bronze Age tool (Kopacz, Valde-Nowak 1987; Kopacz 2001). The flake core made of siliceous sandstone can be dated to the Early Bronze Age but it is also possible its Early Bronze chronology (compare Pelisiak 2016a).

CONCLUSIONS

The site 6 at Cisna is located near the natural deposits of menilite hornstone. This and mass presence of the natural pieces of raw material on this site as well as processed blocks suggest that the menilite hornstone was exploited in the close vicinity to the workshop. This site can be linked with transhumance carried out in the High Bieszczady Mts in the Late Neolithic and Early Bronze Age. The menilite hornstone from Cisna was probably exploited and processed for local use. Identification of extraction place as well as methods of menilite hornstone mining is the task of following works.

The site at Cisna confirms exploitation of various Carpathians stone raw material during Neolithic and Early Bronze Age (Valde-Nowak 1995a; 1995b; 2001; Budziszewski, Skowronek 2001; Valde-Nowak, Strakošova 2001; Pelisiak 2014a). Because of their characteristics and relatively low quality they were exploited for local or regional use. This type of utilization of meninite hornstone can be assumed at Cisna site. However, it is possible that some stone raw material from Bieszczady Mts. e.g. siliceous sandstone were also of much wider geographical use (Pelisiak 2014a).

REFERENCES

Borkowski W., Migal W., Sałaciński S., Zalewski M.

Remarks of lithic and flint mining tools from shaft 7/610 in Krzemionki near Ostrowiec Świetokrzyski (Poland), [in:] K. Biró (ed.), Papers for the Ist International Conference on Prehistoric Flint Mining and Lithic Raw Material Identification in the Carpathian Basin, 20-22 May, 1986, Budapest-Sümeg (Magyar Nemzeti Muzeum), p. 43-59.

Budziszewski J., Skowronek M.

Results of the Preliminary Archaeologicacl Research in the Mount Cergowa Massif, the 2001 Lower Beskid Mountains, [in:] J. Machnik (ed.), Archaeology and Natural Background of the Lower Beskid Mountains, Carpathians, Part I, Prace Komisji Prahistorii Karpat 2, Kraków (Polska Akademia Umiejętności), p. 145–164.

Kopacz J.

Początki epoki brązu w strefie karpackiej w świetle materiałów kamiennych, Kraków (Insty-2001 tut Archeologii i Etnologii PAN).

Kopacz J., Valde-Nowak P.

1987 Episznurowy przykarpacki krąg kulturowy w świetle materiałów kamiennych, APolski 32, p. 57–92.



MENILITE HORNSTONE SOURCES AND PROCESSING SITE AT CISNA...

Pelisiak A.

2013a Man and mountains. Settlement and economy of Neolithic communities in the Eastern part of the Polish Carpathians, [in:] S. Kadrow, P. Włodarczak (eds.), Environment and Subsistence — Forty Years After Janusz Kruk's "Settlement Studies...". Rzeszów-Bonn (Institute of Archaeology Rzeszów University, Dr. Rudolf Habelt GmbH), p. 225–244.

Pelisiak A.

2013b Pojedyncze przedmioty kamienne a strefy aktywności osadniczej i gospodarczej w neolicie we wschodniej cześci Karpat Polskich, MSROA 34, p. 19–33.

Pelisiak A.

2014a Nowe znaleziska z neolitu i początków epoki brązu z polskich Bieszczadów Wysokich — rejon Wetlina-Moczarne, WA 65, p. 212–217.

Pelisiak A.

2014b Settlement, Economy and Climate between 3200 and 2500 BC: Late Neolithic Transformations in Sounth-Eastern Poland, [in:] T.L. Kienlin, P. Valde-Nowak, M. Korczyńska, K. Cappenberg (eds.) Settlement, Communication and Exchange Around the Western Carpathians. International Workshop Held at the Institute of Archaeology, Jagiellonian University, Kraków, October 27–28, 2012, Oxford (Archaeopress), p. 143–158.

Pelisiak A.

2014/2015 Salt water springs and the exploitation of the Eastern Polish Carpathians in the Late Neolithic Period, [in:] K. Czarniak, J. Kolenda, M. Markiewicz (eds.), Szkice Neolityczne, Wrocław (Instytut Archeologii i Etnologii PAN), p. 285–300.

Pelisiak A.

2016a Nowe znaleziska z neolitu i wczesnej epoki brązu z polskich Bieszczadów Wysokich, MSROA 37.

Pelisiak A.

2016b Siliceous raw material from Bieszczady Mountains. Sources and use, Archaeologia Polona 54, p. 21–32.

Pelisiak A., Maj Z.

2013 New Neolithic and Early Bronze Age Finds from the Bieszczady Mountains (Wetlina River Valley and its surroundings), AAC 49, p. 199–206.

Pelisiak A., Maj Z., Bajda Ł.

2015 First sites of Corded Ware culture from high part of the Bieszczady Mountains (south east Poland), MSROA 36, p. 19–24.

Ralska-Jasiewiczowa M.

1972 Remarks on the Late-Glacial and Holocene History of Vegetation in the Eastern Part of Polish Carpathians, Berichte der Deutschen Botanischen Gesellschaft 85, p. 101–112.

Ralska-Jasiewiczowa M.

1980 Late-Glacial and Holocene Vegetation of the Bieszczady Mts. (Polish Eastern Carpathians), Warszawa (Państwowe Wydawnictwa Naukowe).

Valde-Nowak P.

1988 Etapy i strefy zasiedlenia Karpat polskich w neolicie i na początku epoki brązu, Wrocław (Zakład Narodowy im. Ossolińskich).

Valde-Nowak P.

1991 Menilite hornstone deposits and their prehistoric exploitation, AAC 30, p. 55–86.

Valde-Nowak P.

1995a PL21 Ropa, Nowy Sacz Province. Early Bronze Age hornstone mine at Ropa, site 2 (Polish West Carpathians), Archaeologia Polona 33, p. 532–533.

Valde-Nowak P.

1995b Stone sources from the North-Carpathian province in the Stone and Early Bronze Ages, Archaeologia Polona 33, p. 111–118.

ANDRZEJ PELISIAK

Valde-Nowak P.

2001 The settlement site of the Corded Ware Culture in Lubiša-Merava, Slovakia, [in:] J. Machnik (red.), Archaeology and Natural Background of the Lower Beskid Mountains, Carpathians, Part I, Prace Komisji Prehistorii Karpat PAU 2, Kraków (Polska Akademia Umiejętności), p. 68–89.

Valde-Nowak P., Strakošova I.

2001 Homestead stone processing site od Corded Ware Culture at Brestov-Dielňa within the Ondava Upland, Slovakia, [in:] J. Machnik (ed.), Archaeology and Natural Background of the Lower Beskid Mountains, Carpathians, Part I, Prace Komisji Prehistorii Karpat PAU 2, Kraków (Polska Akademia Umiejetności), p. 57–68.

Weiner J.

1986 Flint mining and working on the Lousberg in Aachen (Northrihne-Westphalia, Federal Republic of Germany), [in:] K. Biró (ed.), Papers for the Ist International Conference on Prehistoric Flint Mining and Lithic Raw Material Identification in the Carpathian Basin, Budapest-Sümeg (Magyar Nemzeti Muzeum), p. 107–122.

Address of the Author Instytut Archeologii Uniwersytet Rzeszowski St. Moniuszki 10 35-015 Rzeszów, Poland e-mail: a.pelisiak@gmail.com